

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	87	205/640-686.ccls. and ((through-hole throughhole hole bore port) with (machin\$3 polish polish\$3 electropolish electropolish\$3 remachin\$3 finish finish\$3 refinish \$3 remov\$3)) and (puls\$3 near2 (voltage potential current))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/27 23:52
S1	2	"5865977".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/27 19:43
S2	198	(205/640-686. ccls.) and ((protect protect \$3 mask mask\$3s shield shield\$3 dilut\$3 flush flush \$3) with (surface)) same (surface with (workpiece part workpart turbine blade object))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/27 19:47

S3	43	(205/640-686.ccls.) and (((protect protect\$3 mask mask\$3s shield shield\$3 dilut\$3 flush flush\$3) with (surface)) with (solution water alcohol diluent dilutent inert medium)) same (surface with (workpiece part workpart turbine blade object))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/27 19:48
S4	544	205/640-686.ccls. and ((through-hole throughhole hole bore port) with (machin\$3 polish polish\$3 electropolish electropolish\$3 remachin\$3 finish finish\$3 refinish\$3 remov\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/27 20:09
S5	11	205/640-686.ccls. and ((through-hole throughhole hole bore port) with (machin\$3 polish polish\$3 electropolish electropolish\$3 remachin\$3 finish finish\$3 refinish\$3 remov\$3)) and (((protect protect\$3 mask mask\$3s shield shield\$3 dilut\$3 flush flush\$3) with (surface)) with (solution water alcohol diluent dilutent inert medium)) same (surface with (workpiece part workpart	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/27 20:10

		turbine blade object))				
S6	3	205/640-686.ccls. and (((through-hole throughhole hole bore port) with (machin\$3 polish polish\$3 electropolish electropolish\$3 remachin\$3 finish finish\$3 refinish \$3 remov\$3)) and (((protect protect\$3 mask mask\$3s shield shield\$3 dilut\$3 flush flush\$3) with (surface)) with water) same (surface with (workpiece part workpart turbine blade object))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/27 20:17
S7	0	205/640-686.ccls. and (((protect protect\$3) with (outer near2 surface) with water)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/27 20:19
S8	19	205/640-686.ccls. and (((protect protect\$3) with (surface) with water)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/27 20:20
S9	0	205/640-686.ccls. and (((shield shield \$3) with (surface) with water)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/27 20:27
S10	0	205/640-686.ccls. and (((shield shield \$3) with (area) with water)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/27 20:27

S11	4	205/640-686.cds. and ((protect protect\$3) with (area) with water)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/27 20:27
S12	42	205/640-686.cds. and ((protect protect\$3) with water)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/27 20:35
S13	40	205/640-686.cds. and ((through- hole throughhole hole bore port) with (machin\$3 polish polish\$3 electropolish electropolish\$3 remachin\$3 finish finish\$3 refinish \$3 remov\$3)) and ((protect protect\$3 mask mask\$3s shield shield\$3 dilut\$3 flush flush\$3) with (surface)) same (surface with (workpiece part workpart turbine blade object))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/27 21:13

1/ 28/ 2010 12:09:30 AM

C:\ Documents and Settings\ NSmith1\ My Documents\ EAST\ Workspaces\ 10539190.
wsp